



श्री चित्रा तिरुनाल आयुर्विज्ञान और प्रौद्योगिकी संस्थान, त्रिवेंद्रम-६९५०११, केरल, भारत
SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES & TECHNOLOGY
THIRUVANANTHAPURAM – 695 011, KERALA, INDIA

भारत सरकार के अधीन एक राष्ट्रीय महत्व संस्थान / An Institute of National Importance under Govt. of India)

दूरभाष सं/Telephone No: 0471-2524 437/137/637

ई-मेल/Email: projectcell@sctimst.ac.in, वेबसाइट/Website: www.sctimst.ac.in

**WALK-IN INTERVIEW FOR SELECTION TO THE POST OF
FIELD WORKER (TEMPORARY)**

For a Project entitled "Incidence, Prevalence, Risk Analysis of Dementia and Basic Research thereof" (P-5374)

1. Qualification & Experience
(Essential) : 1) Master of Social Work.
2) One year experience in Neurology Research.
2. Qualification & Experience
(Desirable) : 1) Field work with one year experience.
2) Computer System Application – MS word/Excel/PDF
English-Malayalam translation.
3. Maximum age limit as
On 31-08-2019 : **35 Years**
4. Number of vacancies : **1 (ONE)**
5. Consolidated remuneration : **Rs.15,000/-** per month
6. Tenure of Appointment : **One year** or till completion of the project, whichever is earlier.
7. Brief job description : Patient recruitment, Demographic & Socio-economic profile
tabulation, Record keeping
8. Nature of appointment : **Temporary**(Purely on contract)
9. Time and date of interview : **02.30 PM on 10/10/2019**
10. Venue : **Mini Conference Hall, 3rd Floor, AMC Building**
*Sree Chitra Tirunal Institute for Medical Sciences
And Technology, Medical College Campus,
Trivandrum-11*
11. Reporting Time : **02:00 PM**

Interested and qualified candidates may report for the Walk-in Interview with bio-data, original and copies of certificates to prove their age, qualification, experience, etc., at the Ground floor of AMC Building, SCTIMST, Medical College P.O, Thiruvananthapuram-695011

R&P Cell/30/5374/SCTIMST/2019 dated 16/09/2019
Notice Board (Hospital Wing/AMC/BMT Wing)/Website
सूचना पट्ट- अस्पताल/ए एम सी/बी एम टी/इनट्रानेट

Sd/-
DIRECTOR

Sd/-
Administrative Officer