श्री चित्रा तिरुनास आयुर्विज्ञान और प्रौद्योगिकी संस्थान, प्रिवेंद्रम, तिरुवनन्तपुरम - 695 011, केरल, भारत SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES AND TECHNOLOGY, TRIVANDRUM THIRUVANANTHAPURAM - 695 011, KERALA, INDIA

(एक राष्ट्रीय महत्व का संस्थान, विभान और पौद्योगिकी विभाग, भारत सरकार) (An Institution of National Importance, Department of Science and Technology, Government of India) टेनीफॉन नं./Telephone No.: 0471-2443152 फैक्स/Fax: 0471-2446433, 2550728 ई-मेब/E-mail: sct@sctimst.ac.in वेबसाइट/Website: www.sctimst.ac.in

SELECTION FOR THE POST OF APPRENTICE IN CSR TECHNOLOGY

1. Post Apprentice in CSR Technology

2. No. of Vacancy 2+ Panel (UR-1, OBC-1)

Qualifications 3.

National Trade Certificate in Instrument Mechanic /

Mechanic Medical Electronics or VHSE in Biomedical /Medical Electronics (Eligible for training only if the date of commencement of training and the date of

issue of last mark list is less than three years.)

4. Stipend

6.

Rs. 7000/- per month

5. Period of training 1 year

Achutha Menon Centre for Health Science Studies of the Institute at Medical

College Campus, Thiruvananthapuram.

Venue Time and Date 7.

10.30 a.m. on 01.11.2021

8. Reporting Time 09.00 A.M.

Note: Depending upon the number of candidates a written test may be conducted to shortlist the candidates for interview

Interested candidates may appear for the selection along with original and copies of certificates to prove their age, qualification, caste etc. Candidates belonging to OBC should submit Non-Creamy Layer Certificate issued by an officer not below the rank of Tahsildhar, otherwise they will consider against the UR vacancy.

Selection will be conducted in accordance with COVID-19 protocol.

It may be noted that candidate who had training or job experience for a period of one year or more after the attainment of the qualification shall not be eligible for being engaged as an Apprentice.

Sd/-

DIRECTOR

Advt.No. P&A.VI/37/AT (CSR)/SCTIMST/2021 dtd 13.10.2021

To

Notice Board (Hospital/AMC/BMT/Website)