



**SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES & TECHNOLOGY
BIOMEDICAL TECHNOLOGY WING, POOJAPPURA, TRIVANDRUM – 12**

(An Institute of National Importance under Govt. of India)

Phone—(91)0471—2340801, 2520213, 2520206 Email-bmtadm@sctimst.ac.in Web site—www.sctimst.ac.in

REQUIRES

For a TDF project entitled “An Ultrasensitive Sensor Platform for the Detection of Circulating Tumor Cells” (P.6221)

Project Assistant (Scientific)

Qualification (Essential)	:	M.Sc. Physics / Chemistry with 60% marks
Qualification (Desirable)	:	M.Phil in Biomedical Technology
Experience/Training/Skills (Desirable)	:	Experience in working on sensor platform, nano platform
Job description	:	The development of sensor for the detection of circulating cancer cells.
Monthly emoluments	:	Rs. 16,000/-+20% HRA (Consolidated)
Age limit as on 31.05.2018	:	35 years
No. of vacancies	:	One
Duration	:	6 months or till the completion of the project whichever is earlier
Date & Time of Interview	:	07.06.2018 at 10.30 am
Time of reporting	:	9 am
Mode of selection	:	<u>Walk-In-Interview</u>
Venue	:	Biomedical Technology Wing, Satelmond Palace, Poojappura, Thiruvananthapuram-695 012

Those who fulfil the above requirements may report for a written test/ interview as per the above schedule along with bio-data and original certificates to prove age, qualifications, experience etc. **No** TA/DA will be paid for attending the interview. Candidates reporting after 9.00 am will **NOT** be considered for selection. Candidates already in service have to produce a No Objection Certificate from the present employer at the time of interview.

Note : Depending on the number of candidates, a written test of a qualifying nature will be conducted for initial screening and only qualified candidates will be called for interview. Marks obtained in the written test, if conducted, will not be counted for final ranking.

Sd/-
HEAD, BMT Wing

Advt. No.:P&A.II/13/PA(S)/P.6221/BMT-SCTIMST/2018 dated 07.05.2018
To: Notice Board: BMT Wing / Hospital Wing / AMC / Website